

**IN THE CLAIMS:**

This listing of claims will replace all prior versions and listing of claims in the application:

**Listing of Claims:**

1. (currently amended) A container cap comprising a crown-shaped cap body ~~(14)~~ to be screwed onto a container ~~(12)~~ and cap opening proof indication means ~~(16)~~ formed provided at a lower edge of said cap body and having no part left on a neck part of said container after said cap opens said container, characterized in that said cap opening proof indication means comprises a plurality of indication pieces ~~(18)~~ extending from said lower edge of said cap body and a bridge ~~(20)~~ to join the adjacent indication pieces and to be broken due to relative displacement of said adjacent indication pieces when said cap should open said container and a flap ~~(22)~~ provided at a portion of at least one of said adjacent indication pieces in a manner where said flap is able to be bended and having a leading edge to be engaged with a protrusion stripe engagement portion on a lower portion of said neck part of said container and in that said indication piece adjacent to said indication piece with said flap is provided with flap protrusion prevention ~~(26)~~ to prevent said flap developed when said cap opens said container from protruding from an inner face of said cap body.

2. (original) A container cap as set forth in claim 1 and wherein said flap protrusion prevention is so formed as to prevent said leading edge of said flap.

3. (currently amended) A container cap as set forth in claim 1, ~~or 2 and~~ wherein said indication piece with said flap and said indication piece adjacent to said former indication piece form one indication means unit ~~(160)~~ and the adjacent indication means units are provided in a manner spaced circumferentially.

4. (currently amended) A container cap as set forth in ~~either of claims 1 through 3 and~~ claim 1, wherein said indication piece adjacent to said indication piece with said flap is disposed on both sides of said indication piece with said flap.

5. (original) A container cap as set forth in claim 4 and wherein said flap protrusion prevention comprises small width formation portion formed on the opposite faces of said indication pieces on both sides of said indication piece with said flap toward the direction where the opposite faces approach each other.

6. (original) A container cap as set forth in claim 5 and wherein said small width formation portion of

said flap protrusion prevention comprises a thinner piece extending integrally from the opposite inner sides of said both side indication pieces.

7. (currently amended) A container cap as set forth in claim 5, ~~or 6 and~~ wherein said small width formation portion of said flap protrusion prevention has an inclination face inclined downward and outward and said corresponding flap has an inclination face to be slipperily moved along said inclination face of said flap protrusion prevention.

8. (currently amended) A container cap as set forth in ~~either of claims 1 through 7 and~~ claim 1, wherein said indication piece with said flap has a recess into which said flap is contained so that said flap never protrudes inside of said inner peripheral face of said cap body when said flap is superposed on said corresponding indication piece in a state where said flap is bended.